ORIGINAL

TSCA NON-CONFIDENTIAL BUSINESS INFORMATION **DOCUMENT CONTROL NUMBER DATE RECEIVED DOCUMENT DESCRIPTION** 88130000129 8EHQ-13- 18971 1/25/13 COMMENTS:

DOES NOT CONTAIN CBI

525 W. Van Buren Street Chicago, Illinois 60607-3835 United States

T +1 312 544 7000 F +1 312 544 7125 www.akzonobel.com/te





January 24, 2013

US EPA Office of Pollution Prevention and Toxics EPA East Building Room 6428 Attn: Section 8(e) 1201 Constitution Avenue, NW

Washington, DC 20004

Cc: Polymer Chemicals by Arkema France Pergan GmbH United Initiators GmbH & Co. KG **SUBJECT: TSCA 8(e) Notice**



Dear TSCA Section 8(e) Coordinator:

On behalf of Akzo Nobel Polymer Chemicals LLC we are submitting results on a 14-day rangefinder for an OECD 422 Combined Repeat Dose Toxicity with Reproduction/Developmental Toxicity Screening Test, with tert-butyl peroxypivalate CAS# 927-07-1.

The test item was administered orally (by gavage) to Hsd.Brl.Han: Wistar rats (n=5 animals/sex/dose) once a day at 0 (vehicle control), 50, 250 and 750 mg/kg bw/day for 14 days.

Clinical Observations

750 mg/kg bw/day:

Decreased activity (5/5), palpebral closure (3/5), piloerection (3/5), hunched back (2/5), prone position (1/5) and salivation (5/5) were observed in male animals. Slight, moderate or marked salivation and decreased activity were present for several days (from day 1 and 7 up to the end of study, respectively), while palpebral closure, piloerection, hunched back and prone position appeared on the last three days of the study.

Slight or moderate salivation (5/5) and slight activity decrease (5/5) were noted for female animals from days 1 and 7, respectively.

Hematology

In the male animals, statistical significances were noted for the higher value of neutrophil granulocytes (NEU), slightly lower mean percentages of lymphocytes (LYM), eosinophil granulocytes (EOS) and reticulocytes (RET) at 750 mg/kg bw/day.

In the female animals, the values of red blood cell count, hemoglobin concentration (HGB), hematocrit value (HCT) and mean corpuscular hemoglobin content (MCH) were slightly but significantly reduced and platelet count (PLT) was elevated at 750 mg/kg bw/day.

CONTAINS NO CBI

CONTAINS NO CB



Clinical Chemistry

750 mg /kg bw/day:

Significant increase of alanine aminotransferase (ALT), aspartate aminotransferase (AST), and decrease of total protein concentration were detected in male animals with severe clinical signs, body weight decrease.

Statistically significant differences with respect to controls were noted for higher mean concentration of potassium (K+) and albumin–globulin ratio (A/G), lower concentration of chloride (Cl-), albumin (ALB) and total protein (TPROT).

In female animals, activity of alanine aminotransferase, concentration of cholesterol (CHOL), bile acids (BAC), calcium (Ca2+) and potassium (K+) were higher than in the control group. The concentration of total bilirubin, creatinine, glucose (GLUC) and A/G ratio were lower than the control value.

250 mg/kg bw/day:

In the male animals, the mean concentrations of chloride and total protein were below and the potassium concentration was above the appropriate control value.

Necropsy

750 mg/kg bw/day:

Pale kidneys (1/5 male), smaller than normal thymus (4/5 male), seminal vesicles (4/5 male) and prostate (1/5 male), and hyperemic mesenteric lymph nodes (1/5 male and 1/5 female) were observed.

250 mg/kg bw/day:

Pale kidneys were noted in 1/5 males.

Organ Weights

The absolute organ weights and organ weights relative to the body weight were not considered to be relevant for evaluation because of the significantly lower mean body weight (- 20 % with respect to controls) of male animals administered with 750 mg/kg bw/day.

750 mg/kg bw/day:

In the male animals, the body weight, thymus and prostate weights relative to brain weight were significantly lower and the adrenal weight relative to the brain weight was higher than the control value.

In the female animals, liver weights (absolute and relative to body and brain weights), kidney and spleen weights (both relative to body weight) exceeded the values of control group. The weights of thymus (absolute and relative to body and to brain weights) and absolute ovaries weight were less with respect to controls.

250 mg/kg bw/day:

In the male animals, liver and kidney weights relative to body weights were higher with respect to controls. The liver weights relative to body and brain weights were above the control in female animals.

Please contact me at (312) 544-7061 if you have any questions regarding this letter.



Sincerely.

Louette Rausch

Expertise Leader Regulatory Affairs Americas

Akzo Nobel Services Inc.

525 W. Van Buren

Chicago, II 60607

From: (312) 544-7005 Dolores Lambeth Akzo Nobel 525 W Van Buren Street

Chicago, IL 60607

Origin ID: GYYA

Fedex.



J13101212190326

SHIP TO: (202) 564-8930

BILL SENDER

EPA-Office of Pollution Prevention & Toxics; Attention: Section 8(e) 1201 CONSTITUTION AVE NW EPA EAST BUILDING - ROOM 6428 WASHINGTON, DC 20004

Ship Date: 24JAN13
ActWgt: 1.0 LB
CAD: 103794831/INET3370

Delivery Address Bar Code



Ref# 18 Invoice#

Invoice # PO # Dept #

> TRK# 0201

7945 9529 5263


XC RDVA

FRI - 25 JAN A1 STANDARD OVERNIGHT

20004

DC-US





1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.

2. Fold the printed page along the horizontal line.

3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com.FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim.Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss.Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.